

PICP GENERAL NOTES:

1. THESE DETAILS AND GUIDELINES ARE BASED ON THE FOLLOWING PUBLICATIONS: ICPI 's "PERMEABLE INTERLOCKING CONCRETE PAVEMENTS," 3RD EDITION, 2006; ASCE 's 58-10 "STRUCTURAL DESIGN OF INTERLOCKING CONCRETE PAVEMENT FOR MUNICIPAL STREETS AND ROADWAYS," 2010; AND THE U.S. DEPARTMENT OF AGRICULTURE, NATIONAL RESOURCE CONSERVATION SERVICE's "PART 630 - NATIONAL ENGINEERING HANDBOOK, CHAPTER 7 - HYDROLOGIC SOIL GROUPS," 2007. THE USER IS DIRECTED TO THESE PUBLICATIONS FOR ADDITIONAL INFORMATION AND A MORE COMPREHENSIVE UNDERSTANDING OF THE PROPER DESIGN AND INSTALLATION OF PICP APPLICATIONS.
2. CARE AND SOUND JUDGEMENT MUST BE EXERCISED WHEN IMPLEMENTING ANY PICP APPLICATION ADJACENT TO OR NEAR A BELOW-GRADE STRUCTURE. THE DESIGN AND CONSTRUCTION OF ANY PICP APPLICATION MUST CONSIDER SURROUNDING STRUCTURES AND CARE MUST BE TAKEN TO NOT INTRODUCE WATER IN AN UNWANTED MANNER TO ADJACENT STRUCTURES.
3. FOR RAISED CURB APPLICATIONS, THE DESIGN ENGINEER MAY UTILIZE A CURB CUT OR SIMILAR TO CONTROL AND DIRECT OVERFLOW DRAINAGE TO A RAIN GARDEN, BIOSWALE, OR SIMILAR. THE SELECTION OF APPROPRIATE CONTROLS AND/OR MEASURES IS UP TO THE DESIGN ENGINEER. ESTABLISH CURB CONDITIONS AS APPROPRIATE FOR SITE CONDITIONS.
4. EP HENRY HAS PROVIDED THESE DETAILS AS A COURTESY TO THE PUBLIC AND THE INTENT OF THESE DETAILS IS TO DEMONSTRATE HOW EP HENRY's PRODUCTS CAN BE USED IN PICP APPLICATIONS IN A MANNER THAT IS IN CONFORMANCE WITH ICPI's RECOMMENDED GUIDELINES. EP HENRY ASSUMES NO LIABILITY FOR THE USE OF OUR PRODUCTS IN A MANNER FOR WHICH THEY ARE NOT INTENDED AND RECOMMENDS THAT ANY PICP APPLICATION BE REVIEWED AND APPROVED BY A QUALIFIED ENGINEER FOR OVERALL SUITABILITY AND APPROPRIATENESS PRIOR TO CONSTRUCTION.



201 Park Ave.
P.O. Box 615
Woodbury, NJ 08096
(856)-845-6200
(856)-845-0023

TITLE:

PERMEABLE PAVEMENT – GENERAL NOTES

APPLICATION:

ALL PICP APPLICATIONS

SCALE:

NOT TO SCALE

DRAWING NO:

PICP 00