



* FABRIC NOT REQ'D WITH LINER SYSTEM EXCEPT WHERE SHOWN

SOIL TYPE	TYPICAL CBR VALUE	HYDROLOGIC SOIL GROUP & INFILTRATION RATES	MINIMUM DEPTH STONE	STORAGE CAPACITY OF BASE	FABRIC*
CLAY	2	HSG D $k < 0.06$ in/hr	8 in	2.7" EVENT	NO
SILT	3	HSG C 0.06 in/hr $< k < 0.57$ in/hr	8 in	2.7" EVENT	NO
SILTY SAND	6	HSG B 0.57 in/hr $< k < 1.42$ in/hr	6 in	2.0" EVENT	NO
SAND, GRAVEL	>10	HSG A $k > 1.42$ in/hr	6 in	2.0" EVENT	NO

EP HENRY
EXCELLENCE SINCE 1903

201 Park Ave.
P.O. Box 615
Woodbury, NJ 08096
(856)-845-6200
(856)-845-0023

TITLE:
PERMEABLE PAVEMENT WITH NO INFILTRATION TO SOIL SUBGRADE

APPLICATION:
RESIDENTIAL PATIOS & WALKWAYS

SCALE:
NOT TO SCALE

DRAWING NO:
PICP 06